




Time relays series *trend*

1.3

Function	Types		Weight (grammes)	Page
	may be snap fitted to DIN-rails terminal connections	mounting and connecting via 11-pin plug-in base		
on-delay single shot leading edge	DTE2WX		61	1
	DTE2WK		69	1
		DTE2WV	53	1
off-delay on-delay	DTR2EX		65	2
	DTR2EK		72	2
		DTR2EV	57	2
single shot leading edge single shot leading edge with pulse start single shot trailing edge	DTW2X		65	3-4
	DTW2K		72	3-4
		DTW2V	56	3-4
flasher pause first flasher pulse first	DTB2X		61	5
	DTB2K		69	5
		DTB2V	53	5
cyclic pulse first	DTI2X		65	6
		DTI2V	57	6
	DTIP2X		64	7
cyclic pause first		DTIP2V	56	7
	DTT2X			8
		DTT2V		8
thyristor relay true off-delay (without auxiliary voltage) star-delta start	DTA2X			9
		DTA2V		9
	DTS2X		72	10
multi-functions relays		DTS2V	65	10
	DTM2X		67	11-13
	DTM4X		67	13
		DTM2V	59	11-13
on-delay	STE2X		58	14
off-delay	STR2X		60	15
single shot leading edge	STW2X		60	16
flasher pause first	STB2X		57	17
Accessories				18

Dimensions



Plug-in base TVE 12	Plug-in base TVE 11
Mounting plate MP	Identification plate BS
Retaining clip BU 370	DIP-switch cover DA3, DA4